


CAP. TONS	SPAN L	A	F	G	J MIN.	K	WHEEL DIA.	# OF WHEELS	W.B.	CRANE RAIL	BRIDGE SPEED	POWER SUPPLY	MAX. WHEEL LOAD LBS.	BRIDGE WEIGHT LBS.
7 1/2	40'-0"	2'-1"	6"	16"	13"	-1.5"	9"	4	8'-0"	40#	100 FPM VARIABLE	460/3/60	10900	9600
	50'-0"	2'-4"				-1.5"			9'-0"				11900	12900
	60'-0"	2'-6"				7"			9'-0"				13100	17400
	70'-0"	2'-9"				9"			10'-0"				14200	21700
	80'-0"	2'-11"				10"			12'-0"				15600	27000
100'-0"	90'-0"	3'-1"	10"	16"	14"	12"	12"	4	13'-0"	60#	100 FPM VARIABLE	460/3/60	17400	34200
	100'-0"	3'-3"				14"			15'-0"				19300	41600

NOTES:

1. BRIDGE WHEEL LOADS ARE BASED ON A MAXIMUM TROLLEY WEIGHT OF 3300 LBS.



**AMERICAN CRANE & EQUIPMENT CORPORATION**  
 DOUGLASSVILLE, PA. 19518 U.S.A.  
 PHONE: 610-385-6061  
 FAX: 610-385-3191

**CLASS D TOP RUNNING DOUBLE GIRDER CRANE WITH ROTATING AXLE WHEELS**

**7 1/2 TON CAPACITY**

**PRODUCT INFORMATION**

DWG. NO: **A-20418-1301**

DATE: 3/11/13

REVISION: 0