


CAP. TONS	SPAN L	A	F	G	J MIN.	K	WHEEL DIA.	# OF WHEELS	W.B.	CRANE RAIL	BRIDGE SPEED	POWER SUPPLY	MAX. WHEEL LOAD LBS.	BRIDGE WEIGHT LBS.
15	40'-0"	2'-4"	6"	10"	16"	-1.5"	12"	4	9'-0"	60#	100 FPM VARIABLE	460/3/60	19100	12100
	50'-0"	2'-8"				5"			9'-0"				20200	15700
	60'-0"	2'-11"				8"			9'-0"				21500	20000
15	70'-0"	3'-1"	6 1/2"	10"	16"	9"	15"	4	10'-0"	60#	100 FPM VARIABLE	460/3/60	23100	26000
	80'-0"	3'-3"				11"			12'-0"				24800	32400
	90'-0"	3'-5"				12"			13'-0"				27500	42800
	100'-0"	3'-7"				13"			15'-0"			29400	50400	

NOTES:

1. BRIDGE WHEEL LOADS ARE BASED ON A MAXIMUM TROLLEY WEIGHT OF 4700 LBS.



**AMERICAN CRANE & EQUIPMENT CORPORATION**  
 DOUGLASSVILLE, PA. 19518 U.S.A.  
 PHONE: 610-385-6061  
 FAX: 610-385-3191

**CLASS D TOP RUNNING DOUBLE GIRDER CRANE WITH ROTATING AXLE WHEELS**

**15 TON CAPACITY**

PRODUCT INFORMATION

DWG. NO: A-20418-1303

DATE: 3/11/13

REVISION: 0