


CAP. TONS	SPAN L	A	F	G	J MIN.	K	WHEEL DIA.	# OF WHEELS	W.B.	CRANE RAIL	BRIDGE SPEED	POWER SUPPLY	MAX. WHEEL LOAD LBS.	BRIDGE WEIGHT LBS.
20	40'-0"	2'-5"	8"	10"	16"	-1.5"	12"	4	9'-0"	60#	100 FPM VARIABLE	460/3/60	25100	12700
	50'-0"	2'-9"				5"			9'-0"				26500	16900
	60'-0"	3'-0"				7"			9'-0"				28100	22200
	70'-0"	3'-2"				10"			10'-0"				30000	29000
	80'-0"	3'-4"				11"			12'-0"				32800	40100
100'-0"	90'-0"	3'-6"	8 1/2"	9"	17"	13"	15"	4	13'-0"	60#	100 FPM VARIABLE	460/3/60	34800	47600
	100'-0"	3'-9"				15"			15'-0"				37900	59400

NOTES:

1. BRIDGE WHEEL LOADS ARE BASED ON A MAXIMUM TROLLEY WEIGHT OF 7400 LBS.



**AMERICAN CRANE & EQUIPMENT CORPORATION**  
 DOUGLASSVILLE, PA. 19518 U.S.A.  
 PHONE: 610-385-6061  
 FAX: 610-385-3191

**CLASS D TOP RUNNING DOUBLE GIRDER CRANE WITH ROTATING AXLE WHEELS**

**20 TON CAPACITY**

**PRODUCT INFORMATION**

DWG. NO: **A-20418-1304**

DATE: **3/11/13**

REVISION: **0**