


CAP. TONS	SPAN L	A	F	G	J MIN.	K	WHEEL DIA.	# OF WHEELS	W.B.	CRANE RAIL	BRIDGE SPEED	POWER SUPPLY	MAX. WHEEL LOAD LBS.	BRIDGE WEIGHT LBS.	
25	40'-0"	2'-8"	8"	10"	16"	-2"	15"	4	10'-0"	60#	100 FPM VARIABLE	460/3/60	30200	14800	
	50'-0"	2'-10"							6"				12'-0"	31800	19400
	60'-0"	3'-1"							8"				15"	33700	25500
	70'-0"	3'-3"							9"				18"	35800	32900
	80'-0"	3'-5"							11"				15'-0"	39000	45600
	90'-0"	3'-7"	8 1/2"	9"	17"	14"	13'-0"	42000	56900						
	100'-0"	3'-10"			17"	16"	18"	15'-0"	44900				44900	67700	

NOTES:

1. BRIDGE WHEEL LOADS ARE BASED ON A MAXIMUM TROLLEY WEIGHT OF 8000 LBS.



AMERICAN CRANE & EQUIPMENT CORPORATION
DOUGLASSVILLE, PA. 19518 U.S.A.
PHONE: 610-385-6061
FAX: 610-385-3191

CLASS D TOP RUNNING DOUBLE GIRDER CRANE WITH ROTATING AXLE WHEELS

25 TON CAPACITY

PRODUCT INFORMATION

DWG. NO:

A-20418-1306

DATE: 6/5/13

REVISION: 1