



CAP. TONS	SPAN L	A	B	W.B.	BRIDGE WEIGHT LBS.	MAX. WHEEL LOAD LBS.	GIRDER SIZE	HP
5	20'-0"	8'-2"	1'-3"	6'-6"	3150	5700	W12x40	(2)x.55/.14 3600/900 RPM
	24'-0"	8'-2"	1'-4"	6'-6"	3950	6000	W14x48	
	28'-0"	8'-2"	1'-4"	6'-6"	5200	6400	W14x61	
	32'-0"	8'-2"	1'-7"	6'-6"	6150	6700	W16x67	(2)x.8/.2 3600/900 RPM
	36'-0"	8'-2"	1'-7"	6'-6"	7500	7050	W16x77	
	40'-0"	8'-2"	1'-9"	6'-6"	8900	7450	W18x86	
	44'-0"	8'-2"	1'-9"	6'-6"	10400	7850	W18x60 W/ C15x33.9	
	48'-0"	10'-2"	1'-9"	8'-6"	11900	8250	W18x65 W/ C15x33.9	(2)x1.2/.3 3600/900 RPM
	52'-0"	10'-2"	1'-9"	8'-6"	13400	8600	W18x71 W/ C15x33.9	
	56'-0"	10'-2"	2'-0"	8'-6"	15700	9200	W21x83 W/ C15x33.9	
59'-0"	10'-2"	2'-0"	8'-6"	17650	9700	W21x93 W/ C15x33.9		

	TROLLEY MODEL	
	3111D-1426	3111D-2426
LIFT	21'-0"	29'-10"
TROLLEY WEIGHT	992 LBS.	1014 LBS.

HOISTING SPEED	16/4 FPM
BRIDGE SPEED	100/25 FPM
TROLLEY SPEED	80/20 FPM
RUNWAY RAIL	40# ASCE
POWER SUPPLY	460-3-60
WHEEL DIA.	6.3"



PRODUCT
INFORMATION

TOP RUNNING DOUBLE GIRDER CRANE

5 TON CAPACITY

DWG. NO:

17534501

DATE: 4/30/99

REVISION: 0

DWN. BY:

CHK. BY:

APP. BY: